

Transitional

HAWORTH®

Haworth prices in this book will increase on August 30, 2008 by 4%

North America

Transitional Price List—April 2008

This Haworth North American price book contains US list prices.



Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

Table of Contents

2008 Transitional Products

PLACES® Wood Top Cap Panels

Beltline — Fabric Surface — Monolithic6

PLACES Steel Top Cap Panels

Beltline — Fabric Surface — Monolithic7

PLACES Panel Accessories

90° Finish Post — Videne® Surface8

180° Finish Post — Videne Surface8

End-of-Run Post — Panel Height — Videne Surface8

PLACES Electrical and Cable Management Accessories

Top Feed Module — Beltline Panel — 3-Circuit9

Beltline Panel Power Connector9

Beltline-to-Beltline Flexible Power Connector9

Beltline Panel Communications Cover Plates9

PLACES Worksurfaces

Regular — Laminate — Wood Trim10

90° Corner — Laminate — Wood Trim11

D-Shaped Convergent — Top Only — Laminate — Wood Trim11

P-Shaped Convergent — Top Only — Laminate — Wood Trim11

Regular Counter Top — Laminate — Wood Trim11

PLACES Tables

Round Table — Laminate — Wood Trim12

Rectangle Table — Laminate — Wood Trim12

Racetrack Table — Laminate — Wood Trim12

Oval Table — Laminate — Wood Trim12

UniGroup® Steel Top Cap Panels

Videne Surface13-14

UniGroup Panel Accessories

90° Finish Post — Steel Top Cap — Videne Surface15

180° Finish Post — Steel Top Cap — Videne Surface15

2010 Transitional Products

PLACES Worksurfaces

Regular — Wood — Wood Trim18

90° Corner — Wood — Wood Trim19

D-Shaped Convergent — Top Only — Wood — Wood Trim19

P-Shaped Convergent — Top Only — Wood — Wood Trim19

Regular Counter Top — Wood — Wood Trim19

PLACES Tables

Round Table — Wood — Wood Trim20

Rectangular Table — Wood — Wood Trim20

Racetrack Table — Wood — Wood Trim20

Oval Table — Wood — Wood Trim20

PLACES Sit-to-Stand Fixed Height Tables

Rectangular — Wood — Wood Trim21

Corner — Wood — Wood Trim21

PLACES Sit-to-Stand Adjustable Height Tables

Rectangular — Wood — Wood Trim22

Corner — Wood — Wood Trim22

Finishes and Fabrics

Finish/Color Legend23

Fabrics/Color Legends24-25

Terms of Sale

North American26-29

Index30

Lifetime Product WarrantyInside Back Cover

This page intentionally blank

2008 Transitional Products

The Haworth Transitional products listed in this section are available for order acceptance until December 31, 2008.

PLACES: Wood Top Cap Panels

Steel Top Cap Panels

90° Finish Post — Videne

180° Finish Post — Videne

End-of-Run Post — Videne

Top Feed Module — Beltline Panel

Beltline Panel Power Connector

Beltline Panel Communications Cover Plates

Worksurfaces, Laminate with Wood Trim

Tables, Laminate with Wood Trim


UniGroup: Steel Top Cap Panels — Videne

90° Finish Post — Videne


180° Finish Post — Videne

PLACES Wood Top Cap Panels


	Height	Width	Non-Powered Number	Fabric Grade			
				A	B	C	D
Beltline — Fabric Surface— Monolithic	50"(1270mm)	24"(610mm)	HFNN-2450-T	\$1121	\$1157	\$1215	\$1263
		30"(762mm)	HFNN-3050-T	1237	1273	1331	1379
		36"(914mm)	HFNN-3650-T	1314	1364	1438	1494
		42"(1067mm)	HFNN-4250-T	1426	1476	1550	1606
		48"(1219mm)	HFNN-4850-T	1511	1561	1635	1691
		60"(1524mm)	HFNN-6050-T	1719	1769	1843	1899
	64"(1626mm)	24"(610mm)	HFNN-2464-T	\$1157	\$1197	\$1259	\$1315
		30"(762mm)	HFNN-3064-T	1300	1340	1402	1458
		36"(914mm)	HFNN-3664-T	1419	1473	1551	1631
		42"(1067mm)	HFNN-4264-T	1529	1583	1661	1741
		48"(1219mm)	HFNN-4864-T	1605	1659	1737	1817
		60"(1524mm)	HFNN-6064-T	1858	1912	1990	2070
	68"(1727mm)	24"(610mm)	HFNN-2468-T	\$1238	\$1278	\$1340	\$1396
		30"(762mm)	HFNN-3068-T	1386	1426	1488	1544
		36"(914mm)	HFNN-3668-T	1512	1566	1644	1724
		42"(1067mm)	HFNN-4268-T	1634	1688	1766	1846
		48"(1219mm)	HFNN-4868-T	1707	1761	1839	1919
		60"(1524mm)	HFNN-6068-T	1973	2027	2105	2185




HFNN-T (Non-Powered)



HFNP-T (3-Circuit Powered base, non-powered beltline)



HFNP-T (Non-powered base, 3-Circuit powered beltline)



HFPP-T (3-Circuit Powered base, beltline)

Features

- Both sides in same fabric; one (1) color or different color each side.
- For mixed fabric surfaces, specify fabric/color for each panel surface and price at higher grade.
 - **Mixed Fabric Grades:** A/B, A/C, A/D, B/C, B/D and C/D
- Top cap is wood finish; raceway covers and side rails are trim color.
- 24"(610mm) and 30"(762mm)-wide panels are standard with two (2) duplex plates.
- 24"(610mm) and 30"(762mm)-wide panels do not have a center communications outlet.
- 36"(914mm), 42"(1067mm), 48"(1219mm) and 60"(1524mm)-wide panels are standard with three blank communications plates; one (1) on each side.
- Power outlets for the beltline raceway are the same as the base raceway.
- Beltline panels are only available in 3-circuit power (both beltline and base).
- **Powered raceway** option requires modification of product number and price; **see below**.

Note: Wood top cap panels require end-of-run posts for end conditions and variable height conditions.

To Order, Specify:

- 1) Product number.
- 2) Fabric/colorway for panel side one.
- 3) Fabric/colorway for panel side two.
- 4) Trim color for base raceway cover and side rails.
- 5) Wood finish color for top cap.
- 6) Trim color for beltline raceway covers.

Powered Panel Specification

For panels with powered base raceway and non-powered beltline raceway, change the first **N** in the product number prefix to **P** and add **\$154** list.

Example: HFNN-3064-T changes to HFPP-3064-T.

For panels with powered beltline raceway and non-powered base raceway, change the second **N** in the product number prefix to **P** and add **\$154** list.

Example: HFNN-3064-T changes to HFNP-3064-T.

For panels with powered base and beltline raceways, change the **NN** in the product number prefix to **PP** and add **\$309** list.

Example: HFNN-3064-T changes to HFPP-3064-T.

New York City Specification

For panels with New York City powered raceway and non-powered beltline raceway, change the first **N** in the product number prefix to **P**, add a **Y** suffix to the product number and add **\$154** list.

Example: HFNN-3064-T changes to HFPP-3064-TY.

For panels with New York City powered beltline raceway and non-powered base raceway, change the second **N** in the product number prefix to **P**, add a **Y** suffix to the product number and add **\$154** list.

Example: HFNN-3064-T changes to HFNP-3064-TY.

For panels with New York City powered base and beltline raceways, change the **NN** in the product number prefix to **PP**, add a **Y** suffix to the product number and add **\$309** list.

Example: HFNN-3064-T changes to HFPP-3064-TY.

New York City electrical code requires the power base to be installed in the field.


International Specification

For International Power, specify non-powered panels and use Power Logic components.




PLACES Steel Top Cap Panels


	Height	Width	Non-Powered Number	Fabric Grade			
				A	B	C	D
Beltline — Fabric Surface — Monolithic	50''(1270mm)	24''(610mm)	HFNN-2450	\$1089	\$1125	\$1183	\$1231
		30''(762mm)	HFNN-3050	1197	1233	1291	1339
		36''(914mm)	HFNN-3650	1265	1315	1389	1445
		42''(1067mm)	HFNN-4250	1367	1417	1491	1547
		48''(1219mm)	HFNN-4850	1443	1493	1567	1623
		60''(1524mm)	HFNN-6050	1644	1694	1768	1824
	64''(1626mm)	24''(610mm)	HFNN-2464	\$1125	\$1165	\$1227	\$1283
		30''(762mm)	HFNN-3064	1260	1300	1362	1418
		36''(914mm)	HFNN-3664	1370	1424	1502	1582
		42''(1067mm)	HFNN-4264	1470	1524	1602	1682
		48''(1219mm)	HFNN-4864	1537	1591	1669	1749
		60''(1524mm)	HFNN-6064	1783	1837	1915	1995
	68''(1727mm)	24''(610mm)	HFNN-2468	\$1206	\$1246	\$1308	\$1364
		30''(762mm)	HFNN-3068	1346	1386	1448	1504
		36''(914mm)	HFNN-3668	1463	1517	1595	1675
		42''(1067mm)	HFNN-4268	1575	1629	1707	1787
		48''(1219mm)	HFNN-4868	1639	1693	1771	1851
		60''(1524mm)	HFNN-6068	1898	1952	2030	2110




HFNN (Non-Powered)



HFNP (3-Circuit Powered base, non-powered beltline)



HFNP (Non-powered base, 3-Circuit powered beltline)



HFPP (3-Circuit Powered base, beltline)



Features

- Both sides in same fabric; one (1) color or different color each side.
- For mixed fabric surfaces, specify fabric/color for each panel surface and price at higher grade.
 - **Mixed Fabric Grades:**
A/B, A/C, A/D, B/C, B/D and C/D
- Top cap, raceway covers and side rails are trim color.
- 24''(610mm) and 30''(762mm)-wide panels are standard with two (2) duplex plates.
- 24''(610mm) and 30''(762mm)-wide panels do not have a center communications outlet.
- 36''(914mm), 42''(1067mm), 48''(1219mm) and 60''(1524mm)-wide panels come standard with two communication openings (one each side located between the duplex power receptacles), with blank cover.
- Power receptacles for the beltline raceway are the same as the base raceway. 36'', 42'', 48'' and 60'' wide panels are standard with four (4) receptacle openings (two each side) and two (2) blank communication plates (cover plates) in the center.
- Beltline panels are only available in 3-circuit power (both beltline location and base location).
- **Powered raceway** option requires modification of product number and price; **see below**.

To Order, Specify:

- 1) Product number.
- 2) Fabric/colorway for panel side one.
- 3) Fabric/colorway for panel side two.
- 4) Trim color for base raceway cover.
- 5) Trim color for top cap and side rails.
- 6) Trim color for beltline raceway covers.

Powered Panel Specification

For panels with powered base raceway and non-powered beltline raceway, change the first **N** in the product number prefix to **P** and add **\$154** list.

Example: HFNN-3064 changes to HFPP-3064.

For panels with powered beltline raceway and non-powered base raceway, change the second **N** in the product number prefix to **P** and add **\$154** list.

Example: HFNN-3064 changes to HFNP-3064.

For panels with powered base and beltline raceways, change the **NN** in the product number prefix to **PP** and add **\$309** list.

Example: HFNN-3064 changes to HFPP-3064.

New York City Specification

For panels with New York City powered base raceway and non-powered beltline raceway, change the first **N** in the product number prefix to **P**, add a **Y** suffix to the product number and add **\$154** list.

Example: HFNN-3064 changes to HFPP-3064-Y.

For panels with New York City powered beltline raceway and non-powered base raceway, change the second **N** in the product number prefix to **P**, add a **Y** suffix to the product number and add **\$154** list.

Example: HFNN-3064 changes to HFNP-3064-Y.

For panels with powered base and beltline raceways, change the **NN** in the product number prefix to **PP**, add a **Y** suffix to the product number and add **\$309** list.

Example: HFNN-3064 changes to HFPP-3064-Y.


New York City electrical code requires the power base to be installed in the field.

International Specification

For International Power, specify non-powered panels and use Power Logic components.

PLACES Panel Accessories

	Height	Width	Number	Price
90° Finish Post — Videne Surface	30"(762mm)	2"(51mm)	HVPC-0030	\$ 76
	37"(940mm)		HVPC-0037	79
	44"(1118mm)		HVPC-0044	83
	50"(1270mm)		HVPC-0050	87
	56"(1422mm)		HVPC-0056	91
	64"(1626mm)		HVPC-0064	91
	68"(1727mm)		HVPC-0068	97
	82"(2083mm)		HVPC-0082	100



HVPC


Features

- Includes finish post, top cap, and raceway cover.
- For 90° (corner) connections.
- Specify for domestic or international use.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

To Order, Specify:

- 1) Product number.
- 2) Videne surface color.
- 3) Trim color for raceway cover.
- 4) Trim color for top cap.

180° Finish Post — Videne Surface	30"(762mm)	2"(51mm)	HVPS-0030	\$64
	37"(940mm)		HVPS-0037	70
	44"(1118mm)		HVPS-0044	74
	50"(1270mm)		HVPS-0050	79
	56"(1422mm)		HVPS-0056	82
	64"(1626mm)		HVPS-0064	84
	68"(1727mm)		HVPS-0068	87
	82"(2083mm)		HVPS-0082	95



HVPS


Features

- Includes finish post, top cap, and raceway cover.
- For 180° (three-way) connections.
- Specify for domestic or international use.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

To Order, Specify:

- 1) Product number.
- 2) Videne surface color.
- 3) Trim color for raceway cover.
- 4) Trim color for top cap.

End-of-Run Post — Panel Height — Videne Surface	30"(762mm)	2"(51mm)	HVER-0030	\$ 84
	37"(940mm)		HVER-0037	88
	44"(1118mm)		HVER-0044	95
	50"(1270mm)		HVER-0050	100
	56"(1422mm)		HVER-0056	112
	64"(1626mm)		HVER-0064	124
	68"(1727mm)		HVER-0068	132
	82"(2083mm)		HVER-0082	142



HVER

Features


- Attaches to panel side rail at end of panel run.
- Specify for domestic or international use.

To Order, Specify:

- 1) Product number.
- 2) Videne surface color.
- 3) Trim color for raceway cover.
- 4) Trim color for top cap.

PLACES Electrical and Cable Management Accessories

	Panel Height	Length	Number	Price
Top Feed Module — Beltline Panel — 3-Circuit	50"(1270mm)	90"(2286mm)	HTFM-0012	\$415
	64"(1626mm) and 68"(1727mm)	68"(1727mm)	HTFM-0010	431



HTFM



Features

- Includes the pole, junction box with cover, ceiling bezel, wire harness with plug, and top cap transition piece.
- Required when the building's power source must be accessed from the space above the ceiling and carried to the work surface height raceway.
- Accommodates up to twenty-one (21) 0.20 diameter CAT 5 communications cables.
- 10'(3048mm) ceiling height limit.
- When specified, field modification of top cap is required. For pre-modified panel top cap, see service parts.
- **Not for use with power sources other than 120 volt 60 hertz.**
- Required top cap openings: power – 1 3/16"(30mm) x 9/16"(14mm); communications – 1 3/16"(30mm) x 7/8"(22mm).


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Beltline Panel Power Connector

HPCB-01

\$141



HPCB-01

Features

- Transfers power from base raceway to worksurface-height raceway.
- Retaining clips attached.
- Ordered separately.
- For 3-circuit use only.
- **Not for use with power sources other than 120 volt 60 hertz.**


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Beltline-to-Beltline Flexible Power Connector

PCBL-3-B

\$93



PCBL-3-B



Features

- Completes electrical circuit between adjacent powered beltline panels in straight or angled conditions.
- Retaining clips attached.
- .150"(19mm) shorter than PCF-3-B for better cover fit.
- Standard in charcoal finish color only.
- **Not for use with power sources other than 120 volt 60 hertz.**

To Order, Specify:

- 1) Product number.
(No finish specification required.)


Beltline Panel Communications Cover Plates



HBCC-0001



HBCC-0002



HBCC-0003

Description

Description	Number	Price
Blank	HBCC-0001	\$27
Information plate	HBCC-0002	27
Standard wall outlet	HBCC-0003	27

Features

- Information plate opening measures 1.38"(35mm) x 2.73"(69mm).
- Standard wall outlet opening measures 2.25"(57mm) x 3.28"(83mm).

To Order, Specify:

- 1) Product number.
- 2) Trim color.

PLACES Worksurfaces

Regular — Laminate — Wood Trim



HWS-LW

	Width	Depth	Number	Wood Finish Group	
				I	II
24"(610mm)		20"(508mm)	HWS-2420-LW	\$ 586	\$ 637
			HWS-2424-LW	641	701
			HWS-2430-LW	694	756
30"(762mm)		20"(508mm)	HWS-3020-LW	\$ 629	\$ 683
			HWS-3024-LW	674	735
			HWS-3030-LW	734	802
36"(914mm)		20"(508mm)	HWS-3620-LW	\$ 651	\$ 709
			HWS-3624-LW	704	768
			HWS-3630-LW	812	885
42"(1067mm)		20"(508mm)	HWS-4220-LW	\$ 715	\$ 784
			HWS-4224-LW	773	842
			HWS-4230-LW	878	955
48"(1219mm)		20"(508mm)	HWS-4820-LW	\$ 744	\$ 811
			HWS-4824-LW	802	876
			HWS-4830-LW	951	1034
54"(1372mm)		20"(508mm)	HWS-5420-LW	\$ 781	\$ 810
			HWS-5424-LW	826	903
			HWS-5430-LW	974	1062
60"(1524mm)		20"(508mm)	HWS-6020-LW	\$ 781	\$ 853
			HWS-6024-LW	862	940
			HWS-6030-LW	1016	1105
66"(1676mm)		20"(508mm)	HWS-6620-LW	\$ 849	\$ 929
			HWS-6624-LW	945	1032
			HWS-6630-LW	1100	1196
72"(1829mm)		20"(508mm)	HWS-7220-LW	\$ 983	\$1071
			HWS-7224-LW	1104	1204
			HWS-7230-LW	1264	1380
78"(1981mm)		20"(508mm)	HWS-7820-LW	\$1046	\$1131
			HWS-7824-LW	1152	1242
			HWS-7830-LW	1315	1425
84"(2134mm)		20"(508mm)	HWS-8420-LW	\$1101	\$1184
			HWS-8424-LW	1210	1225
			HWS-8430-LW	1376	1400
90"(2286mm)		20"(508mm)	HWS-9020-LW	\$1358	\$1452
			HWS-9024-LW	1274	1409
			HWS-9030-LW	1452	1611
96"(2438mm)		20"(508mm)	HWS-9620-LW	\$1256	\$1372
			HWS-9624-LW	1423	1551
			HWS-9630-LW	1628	1773

Features






- Includes self-locking supports available in trim colors.
- High-pressure laminate top surface with solid wood edge banding.

Note: Separately specified work surface reinforcement channels can provide additional support for laminate or wood work surfaces with 54" or longer spans that are heavily loaded and not otherwise supported by mid-span cantilevers, work surface supports, legs or under-work surface storage. Work surfaces 72" and longer have mid-span support included.

To Order, Specify:

- 1) Product number.
- 2) Laminate surface color.
- 3) Edge wood finish color.
- 4) Support bracket trim color.

PLACES Worksurfaces

	Width	Depth	Diameter	Number	Wood Finish Group	
					I	II
90° Corner — Laminate — Wood Trim	36"(914mm)	24"(610mm)		HWCS-3624-LW	\$1105	\$1203
	48"(1219mm)	30"(762mm)		HWCS-4830-LW	1535	1672
		Features <ul style="list-style-type: none"> Includes self-locking supports available in trim colors. High-pressure laminate top surface with solid wood edge banding. Features straight front edge. 36"(914mm)-wide worksurface attaches to 36"(914mm)-wide panels. 48"(1219mm)-wide worksurface attaches to 48"(1219mm)-wide panels. Recommend using AKPS-5 on these corner worksurfaces. 		To Order, Specify: <ol style="list-style-type: none"> Product number. Laminate surface color. Edge wood finish color. Support bracket trim color. 		
D-Shaped Convergent — Top Only — Laminate — Wood Trim	48"(1219mm)	30"(762mm)		HDT3-4830	\$ 836	\$ 902
	60"(1524mm)	30"(762mm)		HDT3-6030	\$ 930	\$1003
		36"(914mm)		HDT3-6036	1048	1131
	72"(1829mm)	30"(762mm)		HDT3-7230	\$1123	\$1210
		36"(914mm)		HDT3-7236	1343	1449
		Features <ul style="list-style-type: none"> High-pressure laminate surface with solid wood edge banding. End mount to panels or other worksurfaces. Specify support leg and mounting hardware separately for panel or worksurface attachment. 		To Order, Specify: <ol style="list-style-type: none"> Product number. Laminate surface color. Edge wood finish color. 		
P-Shaped Convergent — Top Only — Laminate — Wood Trim	60"(1524mm)	30"(762mm)	36"(914mm)	HPT3-6030-L	\$1075	\$1159
	72"(1829mm)	30"(762mm)	36"(914mm)	HPT3-7230-L	\$1354	\$1461
		36"(914mm)	42"(1067mm)	HPT3-7236-L	1390	1500
		Features <ul style="list-style-type: none"> High-pressure laminate surface with solid wood edge banding. End mount to panels or other worksurfaces. Specify support leg and mounting hardware separately for panel or worksurface attachment. 		To Order, Specify: <ol style="list-style-type: none"> Product number. Laminate surface color. Edge wood finish color. 		
P-Shaped Convergent — Top Only — Laminate — Wood Trim	60"(1524mm)	30"(762mm)	36"(914mm)	HPT3-6030-R	\$1075	\$1159
	72"(1829mm)	30"(762mm)	36"(914mm)	HPT3-7230-R	\$1354	\$1461
		36"(914mm)	42"(1067mm)	HPT3-7236-R	1390	1500
		Features <ul style="list-style-type: none"> High-pressure laminate surface with solid wood edge banding. End mount to panels or other worksurfaces. Specify support leg and mounting hardware separately for panel or worksurface attachment. 		To Order, Specify: <ol style="list-style-type: none"> Product number. Laminate surface color. Edge wood finish color. 		
Regular Counter Top — Laminate — Wood Trim	24"(610mm)	15"(381mm)		HCTS-2415-LW	\$439	\$480
	30"(762mm)			HCTS-3015-LW	457	499
	36"(914mm)			HCTS-3615-LW	478	525
	42"(1067mm)			HCTS-4215-LW	486	528
	48"(1219mm)			HCTS-4815-LW	500	547
	54"(1372mm)			HCTS-5415-LW	554	600
	60"(1524mm)			HCTS-6015-LW	595	650
		Features <ul style="list-style-type: none"> Includes four (4) supports available in trim colors. High-pressure laminate top surface with solid wood edge banding. Mountable on PLACES full wood trim, wood top cap, and metal top cap panels. For undercounter task light applications, specify HTLU series tasklights, order the next smaller size. 		To Order, Specify: <ol style="list-style-type: none"> Product number. Laminate surface color. Edge wood finish color. Support bracket trim color. 		

PLACES Tables

Round Table — Laminate — Wood Trim



HTR-LW

Height	Diameter	Number	Wood Finish Group	
			I	II
29"(737mm)	30"(762mm)	HTR-0030-LW	\$1049	\$1134
	36"(914mm)	HTR-0036-LW	1177	1272
	42"(1067mm)	HTR-0042-LW	1292	1397
	48"(1219mm)	HTR-0048-LW	1448	1564

Features

- High-pressure laminate top surface with solid wood edge trim.
- Pedestal base is available in trim colors or chrome.
- Self-adjusting glides.

To Order, Specify:

- 1) Product number.
- 2) Laminate surface color.
- 3) Wood finish color.
- 4) Base trim color or chrome.

Chrome Base Option:

Specify KR-V and add \$258 list.

Rectangular Table — Laminate — Wood Trim



HTRG-LW

Height	Depth	Width	Number	Wood Finish Group	
				I	II
29"(737mm)	30"(762mm)	60"(1524mm)	HTRG-3060-LW	\$1521	\$1644
		72"(1829mm)	HTRG-3072-LW	1605	1735
	36"(914mm)	72"(1829mm)	HTRG-3672-LW	\$1676	\$1809

Features

- High-pressure laminate top surface with solid wood edge trim.
- Pedestal bases are available in trim colors or chrome.
- Self-adjusting glides.

To Order, Specify:

- 1) Product number.
- 2) Laminate surface color.
- 3) Wood finish color.
- 4) Base trim color or chrome.

Chrome Base Option:

Specify KR-V and add \$329 list.

Racetrack Table — Laminate — Wood Trim



HTRT-LW

29"(737mm)	30"(762mm)	60"(1524mm)	HTRT-3060-LW	\$1519	\$1641
		72"(1829mm)	HTRT-3072-LW	1604	1732
	36"(914mm)	72"(1829mm)	HTRT-3672-LW	\$1677	\$1813

Features

- High-pressure laminate top surface with solid wood edge trim.
- Pedestal bases are available in trim colors or chrome.
- Self-adjusting glides.


To Order, Specify:

- 1) Product number.
- 2) Laminate surface color.
- 3) Wood finish color.
- 4) Base trim color or chrome.

Chrome Base Option:

Specify KR-V and add \$329 list.

Oval Table — Laminate — Wood Trim



HTC0-LW

29"(737mm)	42"(1067mm)	84"(2134mm)	HTC0-4284-LW	\$2388	\$2580
	54"(1372mm)	96"(2438mm)	HTC0-5496-LW	2676	2892
		120"(3048mm)	HTC0-5410-LW	3351	3620

Features

- High-pressure laminate top surface with solid wood edge trim.
- Pedestal bases are available in trim colors or chrome.
- Self-adjusting glides.

To Order, Specify:


- 1) Product number.
- 2) Laminate surface color.
- 3) Wood finish color.
- 4) Base trim color or chrome.

Chrome Base Option:


Specify KR-V and add \$887 list.

UniGroup Steel Top Cap Panels

Videne Surface



EVN-B (Non-Powered)



EVP-B (3-Circuit Powered)
EVP-6 (6-Circuit Powered)



Height	Width	Non-Powered Number	Price
37''(940mm)	12''(305mm)	EVN-135-B	\$422
	18''(457mm)	EVN-1835-B	439
	24''(610mm)	EVN-235-B	456
	30''(762mm)	EVN-3035-B	508
	36''(914mm)	EVN-335-B	560
	42''(1067mm)	EVN-4235-B	597
	48''(1219mm)	EVN-435-B	623
	60''(1524mm)	EVN-535-B	722
44''(1118mm)	12''(305mm)	EVN-142-B	\$440
	18''(457mm)	EVN-1842-B	463
	24''(610mm)	EVN-242-B	478
	30''(762mm)	EVN-3042-B	560
	36''(914mm)	EVN-342-B	594
	42''(1067mm)	EVN-4242-B	623
	48''(1219mm)	EVN-442-B	641
	60''(1524mm)	EVN-542-B	762

Features

- Both sides in same color or different color each side.
- **Powered raceway** option requires modification of product number and price; **see below**.

No Raceway Cover Option

For a panel with no raceway cover, add an **E** suffix to the product number and deduct the amount shown below per width.

Example: EVN-366-BE

Panel Width	Powered Panels	Non-Powered Panels
12''	n/a	-\$27
18''	-\$48	-\$37
24''	-\$56	-\$45
30''	-\$59	-\$47
36''	-\$68	-\$51
42''	-\$74	-\$59
48''	-\$80	-\$61
60''	-\$92	-\$70

NOTE:

Some building codes may restrict the use of panel heights greater than 69''(1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.

To Order, Specify:

- 1) Product number.
- 2) Videne surface color for panel side one.
- 3) Videne surface color for panel side two.
- 4) Trim color for raceway cover.
- 5) Trim color for top cap and side rails.

Power Options

The following panel sizes are available in a 3-circuit option or a 6-circuit option.

Size	3-Circuit	6-Circuit
12	x	n/a
18	x	n/a
24	x	x
30	x	x
36	x	x
42	x	x
48	x	x
60	x	x

3-Circuit Powered Specification

3-circuit powered raceway option is available on 12''(305mm)- to 60''(1524mm)-wide panels. To specify, change the **N** in the product number to a **P** and add **\$155** list.

For **International Power**, specify non-powered panels and use Power Logic components.

For **New York City** 3-circuit powered raceway, change the **N** in the product number to a **P**, add a **Y** suffix to the product number and add **\$155** list.

Example: EVP-366-BY = New York City 3-Circuit powered panel

6-Circuit Powered Specification

6-circuit powered raceway option is available on 24''(610mm)- to 60''(1524mm)-wide panels. (*Excludes 12''(305mm)- and 18''(457mm)-wide panels.*) To specify, change the **N** in the product number to a **P**, and the **B** suffix to a **6** and add **\$276** list.


Example: EVP-366-6 = 6-Circuit powered panel

UniGroup Steel Top Cap Panels

	Height	Width	Non-Powered Number	Price
Videne Surface	50"(1270mm)	12"(305mm)	EVN-148-B	\$ 456
		18"(457mm)	EVN-1848-B	473
		24"(610mm)	EVN-248-B	488
		30"(762mm)	EVN-3048-B	560
		36"(914mm)	EVN-348-B	594
		42"(1067mm)	EVN-4248-B	623
		48"(1219mm)	EVN-448-B	641
		60"(1524mm)	EVN-548-B	769
	56"(1422mm)	12"(305mm)	EVN-154-B	\$ 478
		18"(457mm)	EVN-1854-B	488
		24"(610mm)	EVN-254-B	510
		30"(762mm)	EVN-3054-B	585
		36"(914mm)	EVN-354-B	622
		42"(1067mm)	EVN-4254-B	662
		48"(1219mm)	EVN-454-B	688
		60"(1524mm)	EVN-554-B	773
	64"(1626mm)	12"(305mm)	EVN-162-B	\$ 502
		18"(457mm)	EVN-1862-B	512
		24"(610mm)	EVN-262-B	516
		30"(762mm)	EVN-3062-B	603
		36"(914mm)	EVN-362-B	626
		42"(1067mm)	EVN-4262-B	675
		48"(1219mm)	EVN-462-B	707
		60"(1524mm)	EVN-562-B	796
68"(1727mm)	12"(305mm)	EVN-166-B	\$ 533	
	18"(457mm)	EVN-1866-B	550	
	24"(610mm)	EVN-266-B	553	
	30"(762mm)	EVN-3066-B	630	
	36"(914mm)	EVN-366-B	684	
	42"(1067mm)	EVN-4266-B	727	
	48"(1219mm)	EVN-466-B	758	
	60"(1524mm)	EVN-566-B	852	
82"(2083mm)	12"(305mm)	EVN-180-B	\$ 581	
	18"(457mm)	EVN-1880-B	618	
	24"(610mm)	EVN-280-B	662	
	30"(762mm)	EVN-3080-B	722	
	36"(914mm)	EVN-380-B	781	
	42"(1067mm)	EVN-4280-B	857	
	48"(1219mm)	EVN-480-B	916	
	60"(1524mm)	EVN-580-B	1032	

UniGroup Panel Accessories

	Height	Width	Number	Price
90° Finish Post Steel Top Cap — Videne Surface	30"(762mm)	2"(51mm)	FPVC-28-B	\$ 76
	37"(940mm)		FPVC-35-B	79
	44"(1118mm)		FPVC-42-B	82
	50"(1270mm)		FPVC-48-B	89
	56"(1422mm)		FPVC-54-B	90
	64"(1626mm)		FPVC-62-B	92
	68"(1727mm)		FPVC-66-B	101
	82"(2083mm)		FPVC-80-B	104



FPVC-B


Features

- Videne surface post.
- Top cap and base raceway cover are trim color.

To Order, Specify:

- 1) Product number.
- 2) Videne surface color.
- 3) Trim color for raceway cover.
- 4) Trim color for top cap.

180° Finish Post Steel Top Cap — Videne Surface	30"(762mm)	2"(51mm)	FPVS-28-B	\$65
	37"(940mm)		FPVS-35-B	69
	44"(1118mm)		FPVS-42-B	72
	50"(1270mm)		FPVS-48-B	80
	56"(1422mm)		FPVS-54-B	81
	64"(1626mm)		FPVS-62-B	83
	68"(1727mm)		FPVS-66-B	89
	82"(2083mm)		FPVS-80-B	96



FPVS-B

Features

- Videne surface post.
- Top cap and base raceway cover are trim color.

To Order, Specify:

- 1) Product number.
- 2) Videne surface color.
- 3) Trim color for raceway cover.
- 4) Trim color for top cap.

This page intentionally blank

2010 Transitional Products

The Haworth Transitional products listed in this section are available for order acceptance until December 31, 2010:

PLACES Wood Worksurfaces

PLACES Wood Tables

PLACES Worksurfaces

Regular — Wood — Wood Trim



HWS-W

	Width	Depth	Number	Wood Finish Group	
				I	II
24"(610mm)		20"(508mm)	HWS-2420-W	\$ 560	\$ 604
			HWS-2424-W	610	661
			HWS-2430-W	661	715
30"(762mm)		20"(508mm)	HWS-3020-W	\$ 598	\$ 646
			HWS-3024-W	644	693
			HWS-3030-W	701	759
36"(914mm)		20"(508mm)	HWS-3620-W	\$ 620	\$ 669
			HWS-3624-W	678	732
			HWS-3630-W	747	808
42"(1067mm)		20"(508mm)	HWS-4220-W	\$ 684	\$ 739
			HWS-4224-W	716	774
			HWS-4230-W	806	870
48"(1219mm)		20"(508mm)	HWS-4820-W	\$ 710	\$ 769
			HWS-4824-W	764	826
			HWS-4830-W	863	930
54"(1372mm)		20"(508mm)	HWS-5420-W	\$ 746	\$ 803
			HWS-5424-W	795	860
			HWS-5430-W	929	1004
60"(1524mm)		20"(508mm)	HWS-6020-W	\$ 787	\$ 852
			HWS-6024-W	827	894
			HWS-6030-W	971	1050
66"(1676mm)		20"(508mm)	HWS-6620-W	\$ 846	\$ 913
			HWS-6624-W	918	993
			HWS-6630-W	1062	1146
72"(1829mm)		20"(508mm)	HWS-7220-W	\$ 950	\$1023
			HWS-7224-W	1067	1152
			HWS-7230-W	1214	1311
78"(1981mm)		20"(508mm)	HWS-7820-W	\$ 975	\$1040
			HWS-7824-W	1036	1100
			HWS-7830-W	1182	1258
84"(2134mm)		20"(508mm)	HWS-8420-W	\$1021	\$1086
			HWS-8424-W	1115	1187
			HWS-8430-W	1270	1352
90"(2286mm)		20"(508mm)	HWS-9020-W	\$1331	\$1404
			HWS-9024-W	1271	1357
			HWS-9030-W	1442	1540
96"(2438mm)		20"(508mm)	HWS-9620-W	\$1208	\$1305
			HWS-9624-W	1362	1470
			HWS-9630-W	1551	1677






Features

- Includes self-locking supports available in trim colors.
- Wood veneer surface with matching solid wood edge.

To Order, Specify:

- 1) Product number.
- 2) Wood finish color.
- 3) Support bracket trim color.

PLACES Worksurfaces

	Width	Depth	Diameter	Number	Wood Finish Group	
					I	II
90° Corner — Wood — Wood Trim	36"(914mm)	24"(610mm)		HWCS-3624-W	\$1050	\$1134
	48"(1219mm)	30"(762mm)		HWCS-4830-W	1443	1561
						
HWCS-W						
	Features			To Order, Specify:		
	<ul style="list-style-type: none"> Includes self-locking supports available in trim colors. Wood veneer surface with matching solid wood edge. Features straight front edge. 36"(914mm)-wide work surface attaches to 36"(914mm)-wide panels. 48"(1219mm)-wide work surface attaches to 48"(1219mm)-wide panels. Recommend using AKPS-5 on these corner work surfaces. 			<ol style="list-style-type: none"> Product number. Wood finish color. Support bracket trim color. 		
D-Shaped Convergent — Top Only — Wood — Wood Trim	48"(1219mm)	30"(762mm)		HDT1-4830	\$ 819	\$ 884
	60"(1524mm)	30"(762mm)		HDT1-6030	\$ 518	\$ 593
			36"(914mm)	HDT1-6036	1021	1103
	72"(1829mm)	30"(762mm)		HDT1-7230	\$1095	\$1182
		36"(914mm)	HDT1-7236	1310	1415	
						
HDT1						
	Features			To Order, Specify:		
	<ul style="list-style-type: none"> Wood veneer surface with matching solid wood edge. End mounts to panel or other work surface. Specify support leg and mounting hardware separately for panel or work surface attachment. 			<ol style="list-style-type: none"> Product number. Wood finish color. 		
P-Shaped Convergent — Top Only — Wood — Wood Trim	60"(1524mm)	30"(762mm)	36"(914mm)	HPT1-6030-L	\$1050	\$1133
	72"(1829mm)	30"(762mm)	36"(914mm)	HPT1-7230-L	\$1325	\$1432
			36"(914mm)	42"(1067mm)	HPT1-7236-L	1354
						
HPT1-L (Left Configuration)						
	Features			To Order, Specify:		
	<ul style="list-style-type: none"> Wood veneer surface with matching solid wood edge. End mounts to panel or other work surface. Specify support leg and mounting hardware separately for panel or work surface attachment. 			<ol style="list-style-type: none"> Product number. Wood finish color. 		
P-Shaped Convergent — Top Only — Wood — Wood Trim	60"(1524mm)	30"(762mm)	36"(914mm)	HPT1-6030-R	\$1050	\$1133
	72"(1829mm)	30"(762mm)	36"(914mm)	HPT1-7230-R	\$1325	\$1432
			36"(914mm)	42"(1067mm)	HPT1-7236-R	1354
						
HPT1-R (Right Configuration)						
	Features			To Order, Specify:		
	<ul style="list-style-type: none"> Wood veneer surface with matching solid wood edge. End mounts to panel or other work surface. Specify support leg and mounting hardware separately for panel or work surface attachment. 			<ol style="list-style-type: none"> Product number. Wood finish color. 		
Regular Counter Top — Wood — Wood Trim	15"(381mm)	24"(610mm)		HCTS-2415-W	\$426	\$462
		30"(762mm)		HCTS-3015-W	445	483
		36"(914mm)		HCTS-3615-W	460	501
		42"(1067mm)		HCTS-4215-W	480	518
		48"(1219mm)		HCTS-4815-W	491	530
		54"(1372mm)		HCTS-5415-W	537	582
		60"(1524mm)		HCTS-6015-W	578	623
						
HCTS-W						
	Features			To Order, Specify:		
	<ul style="list-style-type: none"> Includes four (4) supports available in trim colors. Wood veneer surface with matching solid wood edge. Mountable on PLACES full wood trim, wood top cap, and metal top cap panels. For undercounter task light applications, specify HTLU series tasklights, and order the next smaller size. 			<ol style="list-style-type: none"> Product number. Wood finish color. Support bracket trim color. 		

PLACES Tables

	Height	Diameter	Number	Wood Finish Group	
				I	II
Round Table — Wood — Wood Trim	29"(737mm)	30"(762mm)	HTR-0030-W	\$1114	\$1204
		36"(914mm)	HTR-0036-W	1253	1353
		42"(1067mm)	HTR-0042-W	1372	1486
		48"(1219mm)	HTR-0048-W	1535	1658



HTR-W

Features

- Wood veneer top surface with solid wood edge.
- Pedestal base is available in trim colors or chrome.
- Self-adjusting glides.


To Order, Specify:

- 1) Product number.
- 2) Wood finish color.
- 3) Base trim color or chrome.

Chrome Base Option:

Specify KR-V and add \$258 list.

	Height	Depth	Width	Number	Wood Finish Group	
					I	II
Rectangular Table — Wood — Wood Trim	29"(737mm)	30"(762mm)	60"(1524mm)	HTRG-3060-W	\$1611	\$1739
			72"(1829mm)	HTRG-3072-W	1700	1835
		36"(914mm)	72"(1829mm)	HTRG-3672-W	\$1776	\$1917



HTRG-W

Features

- Wood veneer top surface with solid wood edge.
- Pedestal bases are available in trim colors or chrome.
- Self-adjusting glides.


To Order, Specify:

- 1) Product number.
- 2) Wood finish color.
- 3) Base trim color or chrome.

Chrome Base Option:

Specify KR-V and add \$329 list.

	Height	Depth	Width	Number	Wood Finish Group	
					I	II
Racetrack Table — Wood — Wood Trim	29"(737mm)	30"(762mm)	60"(1524mm)	HTRT-3060-W	\$1611	\$1741
			72"(1829mm)	HTRT-3072-W	1698	1833
		36"(914mm)	72"(1829mm)	HTRT-3672-W	\$1777	\$1918



HTRT-W

Features

- Wood veneer top surface with solid wood edge.
- Pedestal bases are available in trim colors or chrome.
- Self-adjusting glides.


To Order, Specify:

- 1) Product number.
- 2) Wood finish color.
- 3) Base trim color or chrome.

Chrome Base Option:

Specify KR-V and add \$329 list.

	Height	Depth	Width	Number	Wood Finish Group	
					I	II
Oval Table — Wood — Wood Trim	29"(737mm)	42"(1067mm)	84"(2134mm)	HTCO-4284-W	\$2528	\$2731
		54"(1372mm)	96"(2438mm)	HTCO-5496-W	2833	3056
			120"(3048mm)	HTCO-5410-W	3549	3833



HTCO-W

Features

- Wood veneer top surface with solid wood edge.
- Pedestal bases are available in trim colors or chrome.
- Self-adjusting glides.

To Order, Specify:


- 1) Product number.
- 2) Wood finish color.
- 3) Base trim color or chrome.

Chrome Base Option:

Specify KR-V and add \$887 list.

PLACES Sit-to-Stand Fixed Height Tables

	Height	Depth	Width	Number	Wood Finish Group	
					I	II
Rectangular — Wood — Wood Trim	29"(737mm)	24"(610mm)	36"(914mm)	HURS-2436-WF	\$2713	\$2837
			42"(1067mm)	HURS-2442-WF	2751	2873
			48"(1219mm)	HURS-2448-WF	2786	2911
			60"(1524mm)	HURS-2460-WF	2869	2994
	30"(762mm)	36"(914mm)	42"(1067mm)	HURS-3036-WF	\$2883	\$3007
			48"(1219mm)	HURS-3042-WF	2931	3056
			48"(1219mm)	HURS-3048-WF	2968	3091
			60"(1524mm)	HURS-3060-WF	3057	3180



HURS-WF

Features

- Wood veneer top with solid wood edge.
- Pre-drilled for base.
- Chrome glides have 3/8"(10mm) of height adjustment.
- Grommets can be specified separately and field installed.
- Ships unassembled.

To Order, Specify:


- 1) Product number.
- 2) Wood finish color.

NOTE: Base, legs, and support brackets standard in black.


NOTE:

Will not accept suspended drawer pedestals.

Corner — Wood — Wood Trim	29"(737mm)	24"(610mm)	36"(914mm)	HUCS-2436-WF	\$3647	\$3769
		30"(762mm)	48"(1219mm)	HUCS-3048-WF	3825	3949



HUCS-2436-WF



HUCS-3048-WF

Features

- Wood veneer top with solid wood edge.
- Pre-drilled for base and adjustable keyboard pad accessory.
- Chrome glides have 3/8"(10mm) of height adjustment.
- Grommets can be specified separately and field installed.
- Ships unassembled.

To Order, Specify:

- 1) Product number.
- 2) Wood finish color.

NOTE: Base, legs, and support brackets standard in black.


NOTES:

Will not accept suspended drawer pedestals.

Corner table sizes 24"(610mm) x 36"(914mm) will accommodate an adjustable keyboard track length of 17"(432mm) or less.

PLACES Sit-to-Stand Adjustable Height Tables

	Height	Depth	Width	Number	Wood Finish Group	
					I	II
Rectangular — Wood — Wood Trim	27 1/4" - 45" (692mm - 1143mm)	24"(610mm)	36"(914mm)	HURS-2436-WA	\$2977	\$3101
			42"(1067mm)	HURS-2442-WA	3019	3141
			48"(1219mm)	HURS-2448-WA	3057	3182
			60"(1524mm)	HURS-2460-WA	3149	3274
		30"(762mm)	36"(914mm)	HURS-3036-WA	\$3164	\$3288
			42"(1067mm)	HURS-3042-WA	3218	3343
			48"(1219mm)	HURS-3048-WA	3259	3382
			60"(1524mm)	HURS-3060-WA	3357	3480



HURS-WA

Features

- Wood veneer surface with matching wood edge.
- Pre-drilled for base.
- Hand crank provides 1"(25mm) vertical movement for every 6 1/2 turns.
- Hand crank is right-handed and retracts under worksurface.
- Widths shown in nominal dimensions, actual width reduced 1"(25mm) on each side and back to accommodate cables and eliminate pinch points.
- Chrome glides have 3/8"(10mm) of height adjustment.
- Grommets can be specified separately and field installed.
- Ships unassembled.

To Order, Specify:


- 1) Product number.
- 2) Wood finish color.

NOTE: Base, legs, and support brackets standard in black.


NOTE:

Will not accept suspended drawer pedestals.

	Height	Depth	Width	Number	Wood Finish Group	
					I	II
Corner — Wood — Wood Trim	27 1/4" - 45" (692mm - 1143mm)	24"(610mm)	36"(914mm)	HUCS-2436-WA	\$4006	\$4128
			30"(762mm)	48"(1219mm)	HUCS-3048-WA	4202



HUCS-2436-WA



HUCS-3048-WA

Features

- Wood veneer surface with matching wood edge.
- Pre-drilled for base and adjustable keyboard pad accessory.
- Hand crank provides 1"(25mm) vertical movement for every 6 1/2 turns.
- Hand crank is right-handed and retracts under worksurface.
- Widths shown in nominal dimensions, actual width reduced 1"(25mm) on each side and back to accommodate cables and eliminate pinch points.
- Chrome glides have 3/8"(10mm) of height adjustment.
- Grommets can be specified separately and field installed.
- Ships unassembled.

To Order, Specify:

- 1) Product number.
- 2) Wood finish color.

NOTE: Base, legs, and support brackets standard in black.

NOTE:

Will not accept suspended drawer pedestals or adjustable keyboard pads.

Finish/Color Legend

WOOD FINISH LEGEND

Price Group	Veneer Type	Variety	Cutting Technique	Surface	Matching Technique	Grain Direction	Finish Name/Color	Color Code
I	Double Cut	Select African Woods	Rift Cut	Open Pore	N/A	Vertical — panel face Horizontal — component face	Mahogany Satin	VM-A
II	Natural	Maple	Half-Round Cut	Clear Coat	Book Matched	Vertical	Maple	VP-N
							Sand on Maple	VP-AD
II	Natural	Cherry	Plain Sliced	Filled	Book Matched	Vertical	Medium Cherry	VC-U
							Amber Cherry	VC-CA1
							Classic	VC-83
II	Natural	Walnut	Plain Sliced	Partial Filled	Book Matched	Vertical/Horizontal on Worksurfaces	Retro	VR-W31
							Espresso	VR-W15

Because of the natural properties of wood, variations of grain and finish color can be expected. Haworth carefully selects materials used in the manufacturing of products to ensure consistent and acceptable color. Wood is susceptible to color change from exposure to UV rays. Haworth controls this by using surface finishes to reduce color change. However, color change may be more evident in light-colored finishes.

Trim Colors

TR-R Beige
 TR-AK Chalk
 TR-K Charcoal
 TR-J Graphite
 TR-G Gray Tone
 TR-AA Putty
 TR-E Smoke

Videne Colors

V-34 Beige
 V-AK Chalk
 V-8J Charcoal
 V-3J Graphite
 V-8L Gray Tone
 V-AA Putty
 V-3E Smoke

Fabrics/Color Legend

- To obtain fabric samples contact your authorized Haworth dealer.
- All fabrics except (d) = Directional fabric are 66" wide.

Fabric Grade: A (d)
IOWA (1410-1328)
100% Recycled Polyester
 FZ-10 Badger
 FZ-6 Bixby
 FZ-3 Bobwhite
 FZ-2 Cedar Rock
 FZ-11 Clear Lake
 FZ-13 Emerson
 FZ-7 Gar
 FZ-9 Honeycreek
 FZ-1 Manawa
 FZ-5 Rice Lake
 FZ-4 Trappers Bay
 FZ-12 Walnut Woods
 FZ-8 Wapello

Fabric Grade: A (d)
OHIO (1410-1329)
100% Recycled Polyester
 FQ-11 Blue Rock
 FQ-5 Crane Creek
 FQ-1 Dillon
 FQ-6 Erie
 FQ-9 Garfield
 FQ-4 Geneva
 FQ-2 Liberty
 FQ-7 Magee Marsh
 FQ-12 Maumee
 FQ-3 O.H. Ten
 FQ-10 Quail
 FQ-8 Sycamore

Fabric Grade: A (d)
SAVOY (4320-6501)
100% Polyester
 FJ-CC Apache
 FJ-AD Balsam
 FJ-AP Bisque
 FJ-AE Blue Ridge
 FJ-AA Blue Willow
 FJ-CA Breaker
 FJ-AR Chamois
 FJ-AK Elephant
 FJ-AL Glacier
 FJ-AX Mango
 FJ-AY Maya
 FJ-AW Poplar
 FJ-CD Raisen
 FJ-AT Shallot
 FJ-AM Stainless
 FJ-AF Tempest

Fabric Grade: A (d)
STRIAE (4321-9315)
100% Recycled Polyester
Terratex®
 C1-AJ Beam
 C1-AM Band
 C1-AH Element
 C1-AF Fillet
 C1-AC Moonlight
 C1-AE Ray
 C1-AK Ribbons
 C1-AD Straws
 C1-AA Stream
 C1-AL Trace

Fabric Grade: A (d)
TACCATA (4320-6601)
100% Polyester
 FL-AK Alpaca
 FL-AD Confederate
 FL-AH Dill
 FL-AE Gherkin
 FL-AP Harmonic
 FL-AM Mercury
 FL-AA Montego
 FL-AF Morning Glory
 FL-AR Opus
 FL-AJ Sepia
 FL-AL Smokewood
 FL-AN Stone Mountain
 FL-AT Timbre

Fabric Grade: A (d)
TATAMI (1410-1325)
100% Polyester
 W5-1 Agave
 W5-2 Coir
 W5-3 Geta
 W5-4 Hemp
 W5-5 Jute
 W5-6 Kayar
 W5-7 Kobe
 W5-8 Saffron
 W5-9 Sapporo
 W5-10 Sisal
 W5-12 Tabi
 W5-11 Tesori

Fabric Grade: B (n)
BASKETWEAVE (1410-1000)
100% Recycled Polyester
 F-6K Baby Blue
 F-7M Birch
 F-7J Buff
 F-AL Feather Blue
 F-AJ Feather Gray
 F-6J French Blue
 F-2E Ivory
 F-EA Natural
 F-ED Orchid
 F-EC Oyster
 F-AF Parchment
 F-AH Soft Lavender
 F-JX Sterling
 F-EH Verdigris

Fabric Grade: B (d)
BISCOTTI (4320-6701)
60% Polyester, 40% Olefin
 FN-AJ Atlantis
 FN-AE Copper
 FN-AW Curry
 FN-AT Fig
 FN-AL Fresco
 FN-AX Icing
 FN-AR Macaroon
 FN-AF Maize
 FN-AG Opal Gray
 FN-AD Pesto
 FN-AC Phoenician
 FN-AH Sea Spray
 FN-AA Shark
 FN-AN Silver Ash
 FN-AP Torte
 FN-AM Wafer

Fabric Grade: B (d)
LANDSCAPE (4321-9316)
100% Recycled Polyester
Terratex®
 C2-AD Estate
 C2-AH Harvest
 C2-AJ Panorama
 C2-AF Parkland
 C2-AC Photograph
 C2-AE Seascape
 C2-AA Vista

Fabric Grade: B (d)
TRAFFIC (4321-9310)
100% Recycled Polyester
 WZ-9 Autobon
 WZ-6 Country Drive
 WZ-7 Freeway
 WZ-5 Gridlock
 WZ-1 Jam
 WZ-3 Merge
 WZ-8 Route 66
 WZ-4 Ticket
 WZ-2 Yield

Fabric Grade: B (d)
TRAX (4321-9312)
100% Recycled Polyester
 W9-8 Back
 W9-5 Cover Your
 W9-2 Eight
 W9-4 Field
 W9-6 Railroad
 W9-1 Sand
 W9-7 Tire
 W9-3 Trolley

Fabric Grade: B (d)
VERONA (4320-8801)
86% Polyester, 14% Olefin
 SF-AL Argento
 SF-AP Ciao
 SF-AM Ferra
 SF-AJ Gesso
 SF-AA Lido
 SF-AR Luna
 SF-AC Mezzo
 SF-AN Piazza
 SF-AW Puzzo
 SF-AT Roma
 SF-AK Strada
 SF-AE Tosta

Fabric Grade: B (d)
VINES (1410-1331)
100% Recycled Polyester
 FX-10 Arbor
 FX-8 Clematis
 FX-11 Dewberry
 FX-12 Grape
 FX-2 Greenbrier
 FX-5 Honeysuckle
 FX-1 Hop
 FX-7 Jasmine
 FX-3 Liana
 FX-9 Pergola
 FX-6 Trumpet Creeper
 FX-4 Wey

Fabric Grade: C (d)
MIRAGE (4321-9317)
100% Recycled Polyester
 C3-AF Aura
 C3-AE Dream
 C3-AC Ghost
 C3-AK Illusion
 C3-AJ Oasis
 C3-AH Pool
 C3-AD Reflection
 C3-AA Visage

Fabric Grade: C (d)
POTTER (4321-9311)
100% Recycled Polyester
 W8-9 Clay
 W8-3 Coilpot
 W8-4 Earthenware
 W8-8 Glaze
 W8-10 Kick Wheel
 W8-6 Kiln
 W8-5 Slip
 W8-2 Sponge
 W8-1 Stoneware
 W8-7 Vessel

Fabric Grade: C (d)
PRING (4321-9318)
100% Recycled Polyester
Terratex®
 C5-AL Dew Drops
 C5-AC Dribble
 C5-AF Drizzle
 C5-AD Droplets
 C5-AJ Fling
 C5-AH Mist
 C5-AK Pour
 C5-AE Spill
 C5-AM Splatter
 C5-AA Spray
 C5-AN Sprinkle

Fabric Grade: C (d)
SCARPA (1410-1323)
100% Polyester
 S5-AC Ceramic
 S5-AE Losa
 S5-AK Mattonella
 S5-AJ Pavestone
 S5-AH Pottery
 S5-AA Slip
 S5-AF Tegolo
 S5-AD Tessalate

Fabrics/Color Legend

Fabric Grade: D (d)**CIRQUE** (4321-9319)**100% Recycled Polyester****Terratex**[®]

C7-AD Cordon
C7-AJ Crown
C7-AF Equator
C7-AE Globe
C7-AK Halo
C7-AH LP
C7-AL Orbit
C7-AM Ringlet
C7-AC Tire
C7-AA Wreath

Fabric Grade: D (d)**FURROW** (4321-9320)**100% Recycled Polyester****Terratex**[®]

C6-AD Canal
C6-AM Channel
C6-AA Corrugation
C6-AE Ditch
C6-AL Flute
C6-AJ Groove
C6-AN Gully
C6-AF Pleat
C6-AC Ridge
C6-AH Rut
C6-AK Trench

North American Terms of Sale

These Terms of Sale are part of a quotation, bid response, or other sales document issued by Haworth, Inc., Haworth, Ltd. (“Haworth”).

These Terms of Sale do not cover products manufactured in North America shipping to non-North American countries nor do they cover products manufactured in non-North American countries shipping to North America. For those terms of sale, please contact Haworth’s Global Trade and Compliance Department at 616.393.3000 or through Haworth.com.

A. Ordering Information

Haworth sells its products on the terms set forth in these standard Terms of Sale:

ORDERS MUST BE SUBMITTED IN WRITING OR ELECTRONICALLY (OrderLine) AS REPRESENTED BY A VALID PURCHASE ORDER, WHICH INCLUDES PRODUCT TOTAL.

An order is not binding upon Haworth until Haworth issues an order acknowledgment to the customer (the “Customer”), which will include price information and an anticipated shipping date.

1. Order Changes/Cancellations

For Specials, Customer’s Own Material (C.O.M.), finish matches, custom colors, custom products and RUSH orders, no changes or cancellations are allowed. All other products require approval for changes or cancellations. A change/cancellation fee will apply. Contact Order Services for applicable charges.

Ship-to addresses changed within five (5) business days of shipment will incur fees to cover administrative costs due to re-labeling of product and/or reconsignment fees with the carrier.

Order cancellations are complete annulments of orders. Order changes are the deletion of line items or a change in size, color, quantity, ship-to address, or scope of work. There is no penalty for additions; however, any change may cause the order or the line items affected to be rescheduled. Order changes involving additional product and services which increase the value must be accompanied by an amended Purchase Order or other document as agreed.

ALL CHANGES MUST BE IN WRITING, REGARDLESS OF THE (DOLLAR) VALUE. CHANGES ARE NOT BINDING UPON HAWORTH UNTIL HAWORTH ISSUES AN ACKNOWLEDGMENT OF THE CHANGE.

2. C.O.M. (Customer’s Own Material)

A Customer who requests a fabric, surface or finish material (C.O.M.) not in Haworth’s standard finish offering must first confirm approval of or request new approval for the C.O.M.

Haworth will determine feasibility of the material for manufacturability. For a description of the procedure to submit C.O.M. samples, contact Haworth’s Order Services department. For testing information, see the C.O.M. section of the catalog, or call Haworth Order Services.

If Haworth agrees to use the C.O.M., (1) Haworth shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspect of the C.O.M.; and (2) Haworth shall have no liability for any damages, injuries, or losses to the Customer or to any third party that shall be caused by any C.O.M., and the Customer shall hold Haworth harmless for all such liability.

3. Valid/Complete Purchase Order

The following information is required in order to process an order with Haworth:

a. Customer Information

- i. **Sold To:** Legal name, complete address (if Haworth is to bill the end user, provide end user Purchase Order made out to Haworth, Inc., Haworth, Ltd.) and phone and fax number.
- ii. **Ship To:** Legal name and address.
- iii. **Purchase Order Number:** From the party Haworth will be billing.
- iv. **Authorized Signature:** All Purchase Orders must be signed by a duly authorized representative if a signature line is present. Electronically transmitted Purchase Orders will be accepted without a signature if dealer billed and the dealer has an electronic purchase payment agreement on file.
- v. **Contact Name and Phone Number:** Person Haworth should contact with any questions regarding the order.
- vi. **Shipping Contact:** Name and phone number of person to be contacted regarding shipping and delivery matters.
- vii. **Tagging Instructions:** This information will appear on all documentation received from Haworth including: cartons, acknowledgments, and invoices. Normally 1 tag is allowed per \$8,000.
- viii. **Price Agreement or National Sales Agreement Number**
- ix. **Product Total:** Net dollars.
- x. **Installation, Design, Project Management, and/or Service Fees**

b. Product Information

- i. **Quantity**
- ii. **Product Numbers**
- iii. **Colors**
- iv. **Specials:** Specify Inquiry and line number for new special products.

- v. **Customer’s Own Material:** Order entry code, manufacturer, pattern, color, and who is ordering the C.O.M. fabric (Haworth, dealer or the Customer).
- vi. **Approval Drawings:** An authorized signature by a duly authorized representative is required for shop drawings when applicable.
- vii. A deposit may be required for custom materials.

c. Order Confirmation

All orders will be acknowledged.

B. Pricing Policies

1. Terms of Payment

Terms of payment and credit limits will be established based on financial information. Standard payment terms on open credit are net thirty (30) days from invoice date. Advance payments or other payment security may be required by Haworth. The account balance must be at or below the credit limit and current at all times (no past-due balances). Haworth reserves the right to delay or cancel any shipment to a Customer whose Haworth account balance is over the credit limit and/or past due. For walls and floors a deposit will be required.

2. Terms of Credit

Customer hereby authorizes Haworth to obtain such credit reports, financial information or other information as Haworth may request, including, without limitation, credit information from any financial institutions or others having a business relationship with the Customer. Customer hereby authorizes any credit references to answer Haworth’s inquiries and provide such credit information and documentation as Haworth may request.

The Customer hereby releases and holds Haworth harmless for any inconvenience whatsoever, caused by any temporary or permanent withdrawal or restriction of credit privileges hereunder, or the enforcement of any of the provisions contained in this paragraph.

3. Past-Due Charges

Past-due balances will be increased by a maximum of 1.5% per month, or 18% annually, without forfeit of Haworth’s right to immediate payment.

4. Applicable Prices

Prices and discounts are subject to change without notice or approval. In the event of an adjustment to pricing, National Sales Agreement (NSA) Customers will be notified in advance according to the terms of the NSA.

Applicable prices are those in effect at the time of the RECEIPT of an order; Haworth reserves the right to use the published pricing effective at the time of shipment, if the requested shipping date is more than 120 days after the order receipt date.

North American Terms of Sale

The price of any product sold to Customer by Haworth will be based upon the price for the products as follows:

<u>Destination</u>	<u>Price List ("Catalog")</u>
U.S.A.	U.S.A.
Canada	Canadian
Mexico	U.S.A.

5. Taxes

a. U.S.A.: Haworth prices do not include any sales, use or similar taxes. The Customer is responsible to remit directly to Haworth all such taxes when invoiced.

b. Canada: Prices listed in the Canadian catalogs include applicable customs duty. Prices do not include the Federal Goods and Services Tax or any provincial or other sales taxes. Any federal, provincial or other taxes or assessments based upon the sale or shipment of products or services sold applicable to the Customer at present or later imposed by federal, provincial or municipal agencies, shall be added and paid by the Customer.

c. Mexico: Prices listed in the U.S.A. catalogs do not include customs duty, value added or any other tax with respect to the sale, use, ownership, or value of any product or service provided by Haworth. Customer is responsible for all such taxes.

NOTE: For all countries a valid sales tax exemption certificate must be approved by and on file with Haworth prior to product shipment. Otherwise, sales tax will be due and payable to Haworth when such tax is invoiced to Customer.

6. Services

If, as a result of Customer request, the Haworth dealer or Haworth subsidiary provides planning/design services, storage, project management, special handling, set-up, installation and/or other services, the Customer will be charged at the local Haworth dealer/subsidiary's prevailing rates.

7. Termination by Haworth

Haworth may immediately terminate an order upon written notice in the event bankruptcy or insolvency proceedings are instituted by or against the Customer, or the Customer is adjudicated as bankrupt, becomes insolvent, makes an assignment for the benefit of creditors, or proposes or makes any arrangements for the liquidation of its debts, or a receiver or receiver and manager is appointed with respect to all or any part of the assets of the Customer.

C. Shipping and Delivery

Haworth will have the right to determine the method of shipment and routing of product.

This section does not apply to Haworth's TecCrete or TecFlor products. TecCrete and TecFlor are sold freight collect.

If, for any reason, a delivery has to be made to an intermediate location (i.e. a location other than the "Ship To" location noted on the order or ultimate end user location), all handling and re-delivery costs incurred would be at the Customer's expense.

1. U.S.A. - Contiguous

All deliveries will be F.O.B. (U.C.C./2-319) Haworth's manufacturing facilities or distribution centers. Freight charges will be prepaid by Haworth on all orders to locations within the continental United States. Customer bears all risk of loss or damage to the goods when they are placed on Haworth's means of transport.

2. U.S.A. - Non-contiguous (Alaska, Hawaii and Puerto Rico)

All deliveries will be CIF (U.C.C./2-320) (Cost of Goods, Insurance and Freight). Haworth's catalog prices include ocean freight and insurance to the port of the final destination. Haworth has the right to determine the carrier, method of shipment and routing. Haworth will contract with the insurer and provide minimal insurance coverage (CIF @ 110%) made payable to the Customer. Customer is responsible to obtain greater insurance if so desired.

Customer bears all risk of loss or damage to the goods when the goods are effectively at the disposal of the Customer on board the vessel at the named port of destination. Proof of delivery is a clean on board bill of lading. Customer will be responsible for all on-carriage from the receiving port to the final destination.

3. Canada

All deliveries will be F.O.B. Destination (U.C.C./2-319). Haworth's catalog prices include delivery to Customer's named place, not unloaded from any arriving means of transport. Customer bears all risk of loss or damage to the goods when they are delivered to the Customer's named facility not unloaded. Haworth will assume responsibility to file all freight claims with the carrier for any loss/damage which may occur while product is in transit, and will promptly repair or replace any damaged or lost product. Haworth requires the Customer to report all freight damage and/or loss to both the carrier and to Haworth.

NOTE: Under all shipping terms (U.S.A. and Canada), any additional expense resulting from Customer's request for expedited transportation, special services, packaging, handling, routing, and/or shipping method will be billed to Customer.

4. Mexico

All deliveries will be DAF (Delivered at Frontier) (ICC Incoterms 2000). Haworth's catalog prices include freight charges for normal surface transportation to a United States point of exportation within the 48 contiguous states. Haworth has the right to determine the carrier, method of shipment and routing.

Customer bears all risk of loss or damage to the goods when the goods are delivered to the named United States point of exportation. Haworth will provide customs clearance facilitation and arrangement of local delivery through an Authorized Dealer in Mexico, on a separately negotiated basis. Otherwise the Customer will be responsible for all customs clearance formalities and on-carriage from the United States point of exportation to the final destination in Mexico.

5. Ship Dates and Delay

If Haworth cannot ship products as scheduled due to causes beyond its reasonable control (such as casualty, labor disputes, or accident; inability to obtain necessary labor, material or transportation; or changes requested by the Customer), the ship date will be extended to compensate for the delay as determined by Haworth.

6. Delivery Shortages and Damage

Product shortages and damage must be noted on delivery receipts at the time of delivery and reported to the carrier for correction.

Claims against Haworth for shortages, errors, or damage must be made within three (3) days of the date of delivery or the Customer waives the right to make such a claim. Signed Bill of Ladings or Delivery Receipt must be sent in with claims.

7. Storage

Haworth may transfer product to storage at the Customer's risk and expense if the Customer is unable or unwilling to take delivery of product as originally scheduled. Upon such transfer to storage, the Customer assumes risk of loss. Haworth will invoice the Customer for storage fees and the Customer will make payments in accordance with Haworth's standard payment terms.

D. General Terms

1. Governing Law

For products purchased for delivery in the U.S. pursuant hereto, this Agreement shall be governed by and construed according to the laws of the State of Michigan. Where Products are purchased for delivery in Canada pursuant hereto, this Agreement shall be governed by and construed according to the laws of the Province of Alberta. In either case, the parties attorn to the exclusive jurisdiction of the courts of Michigan and Alberta, respectively for the purpose of hearing any disputes arising under this Agreement or with respect to any Products sold pursuant hereto, and agree that the provisions of the United Nations Convention on Contracts for the International Sale of Goods and any other provision or law which would have the effect of applying the laws of any jurisdiction other than Michigan or Alberta, as the case may be, shall be excluded.

North American Terms of Sale

2. Force Majeure

In the event that the performance of Customer or Haworth or its participating dealer assignee(s) would be prevented, restricted, interfered with or rendered commercially impracticable by reason of Force Majeure, then upon the giving of notice to the other parties, the party affected by the Force Majeure shall be excused from performing hereunder until the Force Majeure no longer prevents, restricts, interferes with, or renders such performance commercially impracticable.

"Force Majeure" shall mean: fire, explosion, breakdown of plant, epidemic, hailstorm, snow/ice storms en route, hurricane, tornado, cyclone, flood or power failure; war, revolution, civil or military disturbances, acts of public enemies, acts of terrorism, blockade or embargo; any law, order, proclamation, regulation, ordinance, demand or requirement of any applicable governmental authority or any subdivision, authority, or representative of any such government; labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts; or difficulties beyond Haworth's reasonable control in obtaining necessary raw materials, labor, fuels and electric power, components or facilities, and any other circumstances beyond the control of the party affected.

3. Delays by Customer

Where Haworth has not received adequate site dimensions, Product specifications, shipping information, installation particulars or other information required by Haworth to permit the efficient manufacture of any Products, or where site conditions are not in accordance with the Installation Requirements set forth, or are not otherwise suitable to permit effective and efficient installation, the manufacture and/or delivery of Products may be delayed, and such event shall constitute a delay by the Customer. When manufacture, delivery or installation is delayed by the Customer or at the Customer's request: (i) Haworth may, at its option, present the invoice for the full price of the Products to the Customer as then due and payable; (ii) the Customer shall pay to Haworth all reasonable storage, handling and other reasonable incidental expenses incurred by Haworth in connection with such delay; and (iii) the Customer shall bear all risk of loss or damage to the Products being held by Haworth for the Customer.

4. Use and Installation of Products

Haworth recommends that its products be installed by certified, qualified and approved installers according to Haworth's written installation procedures. The Customer agrees to use Haworth products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by Haworth, and to instruct employees as to the proper care and use of the products according to printed instructions.

5. Warranty

Haworth's standard North American Lifetime Warranty will apply as appropriate. All product line warranty specifics are available in each catalog or upon request.

E. Services

Service requests for design, installation, relocation, storage, etc. are handled by the local Haworth dealer on a separately negotiated basis. Contact the local Haworth dealer, affiliate or area sales office for more details.

Scope of Work - Design

Customer acknowledges that the Products to be manufactured or procured by Haworth in connection with the order are or may be custom manufactured for the Customer and that Haworth may be required to perform extensive work in relation to the design and specification of such Products. Where Customer requests that Haworth create as-built drawings or make more than two material revisions to any particular Product design or specification, Customer agrees that Haworth shall be entitled to invoice Customer with respect to such additional work on the basis of Haworth's then prevailing rates for related design and specification services.

Installation Requirements

Where installation services are to be provided by Haworth, its Authorized Dealer or subcontractor, a document will be provided setting forth the scope of installation work to be performed (the "Scope of Work") and the price to be charged therefore. Unless otherwise specified in the scope of work, Haworth's installation services are limited to products sold by Haworth with the exception of lighting, under floor electrical and data.

General Conditions

(a) Sufficient time shall be allocated by the Customer following delivery of Products and prior to Customer's occupation of the premises to allow the installation of all Products during conventional working hours, Monday through Friday, 7:30 a.m. to 4:30 p.m. Where sufficient time is not allocated and Haworth is required or requested to perform installation work outside of such times, overtime charges shall be charged at Haworth's then prevailing rates. (b) Haworth shall be given free and exclusive access to: (i) a loading dock within 150' of the freight elevator or hoist, which loading dock shall be of sufficient size to enable full-size tractor-trailer deliveries to the premises (where required by Haworth); (ii) a freight elevator or hoist of sufficient size and capacity to allow the efficient movement of the Products; (iii) an unobstructed and safe pathway to the area where Products are to be stored or staged; (iv) a secure storage / staging area; (v) convenient trash facilities; (vi) adequate lighting;

(vii) a work site that complies with applicable health and safety legislation. Where such areas and facilities are not available, Haworth shall be entitled to bill Customer for all amounts incurred by Haworth for double-handling, product movement, lifting, hoisting, trash removal and any other resulting charges. (c) The installation site shall be free and clear of existing furniture, debris, or other obstructions (including construction in progress) and shall otherwise be in the reasonable opinion of Haworth ready for installation of the Products. Any building where Products are to be installed shall be fully closed in, dry and protected from the natural elements, with temperatures between 40°F and 90°F (4°C and 32°C) and relative humidity not to exceed 70% at all times including receipt of products, during and after installation and shall be adequately heated and/or air-conditioned. Where unusual site conditions exist which impede or prevent the normal installation of any Products, applicable extra charges shall apply at prevailing rates. (d) Haworth's installation pricing is based upon the installation occurring as one continuous delivery and installation project. Phased installation pricing shall be provided by Haworth on a case by case basis. (e) Electrical hardwiring, plumbing and mechanical work is not included and shall be the responsibility of the Customer. (f) Except as may be otherwise specifically indicated, installation pricing does not apply to projects where union labor is required. Where Haworth has provided installation pricing on the basis that non-union labor be utilized, and where Haworth is required to use union labor or it otherwise becomes impractical to use non-union labor, or where Haworth is required by law to use prevailing wages, Haworth shall be entitled to charge the Customer for any cost differential between the anticipated cost of non-union labor and the actual cost of utilizing union or prevailing wage labor. (g) Haworth shall not be responsible for obtaining permits.

Project / Site Conditions

Lateral load bracing is not included in the scope of Haworth's work and shall not be performed by Haworth. In areas where Nexus™ or TecCrete flooring Products are to be installed by Haworth overhead construction must be completed prior to the commencement of such work to avoid damage to the panels and finishes. The existing subfloor must be smooth, mopped clean, free of moisture, dust, dirt and debris. Once installed, the access floor must be maintained in the same manner. The subfloor must have a maximum vertical elevation deviation of 0.375" (10mm) over a horizontal span of 10'-0" (3m), and without discontinuities in floor slope. For greater certainty, the scope of Haworth's installation work in such areas shall not be deemed to include any work required to level such subfloor, remove protrusions, remove pre-existing floor coverings or adhesives, or any other work which

North American Terms of Sale

is required to remedy any conditions which may impede the efficient installation of Nexus™ flooring. Except as may be otherwise specifically indicated in the order, installation pricing for Nexus™ flooring Products and the Scope of Work in relation thereto shall not include any work required to remove and replace floor panels following their initial installation to provide tradespersons or others with access to the underpanel cable management cavity. In areas where movable walls are to be installed, all flooring (including carpeting) and ceiling components (including dropped ceiling grid components) shall be fully complete and ready for the installation of the movable wall products. Further, the existing floor (or other surface on which the movable wall panels are to be installed) shall have a maximum vertical deviation of 1.25" (30mm) and the dropped ceiling grid shall have a maximum vertical deviation of 0.375" (10mm) from the specifications to which such movable wall panels were designed and manufactured (collectively the "Permitted Tolerances"), and shall otherwise comply with any site condition assumptions made known to Haworth prior to the manufacture of such Products (the "Site Assumptions"). Where the Permitted Tolerances or Site Assumptions are not strictly adhered to or met, additional charges may be incurred in connection with site remediation and/or the modification or remanufacture of affected movable wall products, together with all resulting shipping and labor charges at Haworth's then prevailing rates for such Products and services.

Installation Change Orders

Where Customer requests work to be performed or materials to be provided which are not contemplated in the Scope of Work, or Customer otherwise requests Products or services not contemplated in the order (collectively "Extras"), prior to providing such Extras Haworth reserves the right to require the Customer to provide and sign a written Purchase Order or Change Order acceptable to Haworth describing the Extras and the amounts to be charged therefore, and the Customer agrees to pay such charges.

Entire Agreement

The order and this Agreement (including applicable Schedules) constitute the sole agreement between the parties and supercede any prior understanding or written or oral agreements between the parties (excluding National Sales Agreements). No waiver of any of the provisions of these Standard Terms and Conditions shall be binding on Haworth unless expressly agreed in writing.

Revision Date: April 5, 2008

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
EVN-B	UniGroup Steel Top Cap Panels – Videne Surface	13
EVP-6	UniGroup Steel Top Cap Panels – Videne Surface	13
EVP-B	UniGroup Steel Top Cap Panels – Videne Surface	13
FPVC-B	UniGroup Panel Accessories – 90° Finish Post Steel Top Cap — Videne Surface	15
FPVS-B	180° Finish Post – 180° Finish Post Steel Top Cap — Videne Surface	15
HBCC-0001	PLACES Electrical and Cable Management Accessories – Beltline Panel Communications Cover Plates	9
HBCC-0002	PLACES Electrical and Cable Management Accessories – Beltline Panel Communications Cover Plates	9
HBCC-0003	PLACES Electrical and Cable Management Accessories – Beltline Panel Communications Cover Plates	9
HCTS-LW	PLACES Worksurfaces – Regular Counter Top — Laminate — Wood Trim	11
HCTS-W	PLACES Worksurfaces – Regular Counter Top — Wood — Wood Trim	19
HDT1	PLACES Worksurfaces – D-Shaped Convergent — Top Only — Wood — Wood Trim	19
HDT3	PLACES Worksurfaces – D-Shaped Convergent — Top Only — Laminate — Wood Trim	11
HFNN	PLACES Steel Top Cap Panels – Beltline — Fabric Surface — Monolithic	7
HFNN-T	PLACES Wood Top Cap Panels – Beltline — Fabric Surface—Monolithic	6
HFNP	PLACES Steel Top Cap Panels – Beltline — Fabric Surface — Monolithic	7
HFNP-T	PLACES Wood Top Cap Panels – Beltline — Fabric Surface—Monolithic	6
HFPN	PLACES Steel Top Cap Panels – Beltline — Fabric Surface — Monolithic	7
HFPN-T	PLACES Wood Top Cap Panels – Beltline — Fabric Surface—Monolithic	6
HFPP	PLACES Steel Top Cap Panels – Beltline — Fabric Surface — Monolithic	7
HFPP-T	PLACES Wood Top Cap Panels – Beltline — Fabric Surface—Monolithic	6
HPCB-01	PLACES Electrical and Cable Management Accessories – Beltline Panel Power Connector	9
HPT1-L	PLACES Worksurfaces – P-Shaped Convergent — Top Only — Wood — Wood Trim	19
HPT1-R	PLACES Worksurfaces – P-Shaped Convergent — Top Only — Wood — Wood Trim	19
HPT3-L	PLACES Worksurfaces – P-Shaped Convergent — Top Only — Laminate — Wood Trim	11
HPT3-R	PLACES Worksurfaces – P-Shaped Convergent — Top Only — Laminate — Wood Trim	11
HTC0-LW	PLACES Tables – Oval Table — Laminate — Wood Trim	12
HTC0-W	PLACES Tables – Oval Table — Wood — Wood Trim	20
HTFM	PLACES Electrical and Cable Management Accessories – Top Feed Module — Beltline Panel — <i>3-Circuit</i>	9
HTRG-LW	PLACES Tables – Rectangular Table — Laminate — Wood Trim	12
HTRG-W	PLACES Tables – Rectangular Table — Wood — Wood Trim	20
HTR-LW	PLACES Tables – Round Table — Laminate — Wood Trim	12
HTRT-LW	PLACES Tables – Racetrack Table — Laminate — Wood Trim	12
HTRT-W	PLACES Tables – Racetrack Table — Wood — Wood Trim	20
HTR-W	PLACES Tables – Round Table — Wood — Wood Trim	20
HUCS-2436-WA	PLACES Sit-to-Stand Adjustable Height Tables – Corner — Wood — Wood Trim	22
HUCS-2436-WF	PLACES Sit-to-Stand Fixed Height Tables – Corner — Wood — Wood Trim	21
HUCS-3048-WA	PLACES Sit-to-Stand Adjustable Height Tables – Corner — Wood — Wood Trim	22
HUCS-3048-WF	PLACES Sit-to-Stand Fixed Height Tables – Corner — Wood — Wood Trim	21
HURS-WA	PLACES Sit-to-Stand Adjustable Height Tables – Rectangular — Wood — Wood Trim	22
HURS-WF	PLACES Sit-to-Stand Fixed Height Tables – Rectangular — Wood — Wood Trim	21
HVER	PLACES Panel Accessories – End-of-Run Post — Panel Height — Videne Surface	8
HVPC	PLACES Panel Accessories – 90° Finish Post — Videne Surface	8
HVPS	PLACES Panel Accessories – 180° Finish Post — Videne Surface	8
HWCS-3624-LW	PLACES Worksurfaces – 90° Corner — Laminate — Wood Trim	11
HWCS-4830-W	PLACES Worksurfaces – 90° Corner — Laminate — Wood Trim	11
HWCS-W	PLACES Worksurfaces – 90° Corner — Wood — Wood Trim	19
HWS-LW	PLACES Worksurfaces – Regular — Laminate — Wood Trim	10
HWS-W	PLACES Worksurfaces – Regular — Wood — Wood Trim	18
PCBL-3-B	PLACES Electrical and Cable Management Accessories – Beltline-to-Beltline Flexible Power Connector	9

Product Non-Obsolescence and Warranty Policy

(This Haworth Product Non-Obsolescence and Warranty Policy applies to products manufactured after January 1, 2006)

Haworth, Inc., Haworth, Ltd. or Haworth AI, LLC (each called "Haworth") will make a good faith effort to maintain product compatibility within our various generations of product platforms to provide our customers with spaces that adapt to change. Haworth's non-obsolescence policy commits to provide our customers with products of comparable function or operational characteristics for a term equal to the warranty period. Haworth fabrics and finishes must be updated periodically to maintain the market appeal of our products and respond to the demands and changing preferences of our customers. As a result some fabrics and finishes are periodically discontinued.

If a new product purchased or leased from Haworth or from an authorized Haworth dealer proves to be defective (as defined below) while the product is still owned or leased by the initial purchaser or lessee and if the initial purchaser or lessee gives Haworth written notice of the defect within the Applicable Warranty Period, then, except as provided below, Haworth will, at Haworth's option, either repair or replace the product, at Haworth's expense, or refund to the buyer the purchase price of the product. A notice must be addressed to Haworth at One Haworth Center, Holland, Michigan 49423, attention: Corrections Department. Except as provided below, a product shall be considered "defective" if Haworth finds that it is defective in materials or workmanship and if the defect materially impairs the value of the product to the buyer or lessee. Applicable Warranty Periods are set forth below. Each Applicable Warranty Period begins on the day the product is manufactured, except that the Applicable Warranty Period for a flooring product begins when its installation is complete. If product is not installed by a Haworth Certified installer or reconfigured by a Haworth trained installer, Haworth may not consider the product to be defective and will not repair, replace or refund its price.

Product(s)	Applicable Warranty Period
All Haworth products except those listed below	LIFETIME
Electrical components, electrical accessories and fixed task lighting, excluding underfloor power; seating mechanisms *, excluding mechanisms in wood or wood framed chairs; seating glides and casters, stack chair frames, wall products; Paradocs storage; if high performance edge worktops	Ten Years
All Haworth products that are at any time used in a classroom or educational environment (other than administrative areas), except products listed below	Ten Years
Wood or wood framed products and wood chairs including their mechanisms; gel arm caps; fabric scrims and fabrics rated (A) Heavy Duty under Association of Contract Textiles guidelines; Cabriolet; user-adjustable worksurface mechanisms; thermofused laminates; slow close mechanisms; ambient and flexible task lighting; and Jump Stuff products other than Boogie Board (lifetime)	Five Years
All flooring products, including underfloor power, other than factory-applied surfaces; plastic ultraviolet light color fastness; fabrics rated (a) General Contract under the Association of Contract Textiles guidelines *	Three Years
Non-standard Specials products; Crossings products with Texon T-90 material; soft palm rest; mouse pad insert; Pelican Drawer; translucent edge marring; products that are manufactured outside North America and sold into the North American market; factory-applied surfaces on flooring products	One Year

* The Applicable Warranty Period for these products is single shift forty hour week. If the chair is used more than this, then the Applicable Warranty Period will be reduced in proportion to the increased usage. For example, if the chair is used an average of sixty hours per week, then the Applicable Warranty Period for the fabric will be two years and the seating mechanisms six years, eight months.

A product will not be considered to be defective, and Haworth will not repair, replace or refund its price if the product (1) is a consumable product, such as a lamp, light ballast or surge suppression product, (2) is "Customer's Own Material" (i.e. material specified by the buyer or lessee that is not a standard Haworth product offering), (3) is not installed and used as recommended in Haworth's written planning, installation and user guides, (4) has been otherwise misused or suffered abusive damage or (5) is a product that is manufactured by a third-party supplier from whom Haworth purchases it and then re-sells it without incorporating it in other Haworth products (in which case Haworth will assign to the buyer or lessee any assignable warranty that the manufacturer gives to Haworth). A defect in materials or workmanship does not include (a) normal wear and tear, (b) damage caused by an Act of God or by transportation, reconfiguration or other movement of the product, (c) a product alteration made without Haworth's express written authorization, (d) a natural variation occurring in wood, marble or leather or (e) failure of the color, grain or texture of wood, marble, leather or fabric to match or be colorfast.

EXCEPT AS STATED ABOVE, HAWORTH DOES NOT MAKE ANY WARRANTY AS TO ANY PRODUCT AND, IN PARTICULAR, DOES NOT MAKE ANY WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. Product repair or replacement or refund of the price, at Haworth's option, in accordance with this Policy, is the buyer's or lessee's exclusive remedy for a product defect. Haworth shall not have tort liability with respect to a product, and Haworth shall not be liable for any consequential, economic, indirect, special, punitive or incidental damages arising from a product defect.

Issue Date: November 14, 2005

HAWORTH®

For more information call 800.344.2600 or 616.393.3000.

Amsterdam	Guatemala City	New Delhi
Bangalore	Geneva	New York
Barcelona	Holland, MI	Paris
Beijing	Hong Kong	Pune
Bologna	Kuala Lumpur	Shanghai
Brussels	Lisbon	Singapore
Budapest	London	Stuttgart
Calgary	Los Angeles	Sydney
Chicago	Madrid	Tokyo
Dallas	Melbourne	Warsaw
Dubai	Milan	Washington DC
Frankfurt	Mexico City	Zurich
	Mumbai	

Haworth is a registered trademark of Haworth, Inc.
©Haworth, Inc. 2008 04.08

haworth.com | haworth-europe.com | haworth-asia.com